Phone: 011 52 1 55 2068 4305 / 3221072746







Aortic Valve Stenosis New Affordable Treatment in Mexico

June 06th, 2014

Clinics of the Heart, Mexico's premier cardiology, endovascular, diagnostic and therapy unit, located within the modern facilities of the Costamed Hospital in Cozumel, Mexico is pleased to announce it's new toll free MS-CCSVI Hotline 844-620-9698 available to answer your questions and concerns regarding the CCSVI and stem cell treatment performed by Dr. Rafael Moguel who is one of Mexico's most renown interventional cardiologists and leads one of the most experienced CCSVI Multiple Sclerosis & Stem Cell treatment centers in the world. Please feel free to give us a call, anytime, night or day. info@cardioabroad.com

Severe aortic stenosis occurs when the aortic valve does not open or close properly. This forces your heart to work harder to pump blood throughout your body. Over time, the heart muscle weakens. This affects your overall health and keeps you from enjoying normal daily activities. Left untreated, severe aortic stenosis is a very serious, life-threatening condition, which may lead to heart failure and increased risk for sudden cardiac death.

Severe aortic stenosis is often not preventable and may be related to age; buildup of calcium deposits on the aortic valve (stenosis), which causes narrowing; radiation therapy; medications; a history of rheumatic fever; or high cholesterol. Signs and symptoms of severe aortic stenosis can include:

- Chest pain or tightness
- · Feeling faint or fainting with activity
- Dizziness
- Fatique
- Shortness of breath
- Heart palpitations
- Heart murmur

If you have these symptoms, talk with your heart doctor. Only a doctor can determine if you have severe aortic stenosis. Treatments for severe aortic stenosis include certain medicines and surgical procedures. A procedure called balloon valvuloplasty is sometimes used to relieve symptoms of severe aortic stenosis. This minimally-invasive, non-surgical procedure involves a small catheter with a balloon on one end that is guided into the heart. The balloon is inflated, which opens the narrowed valve temporarily. Dr. Rafael Moguel, Mexico's renown interventional cardiologist, director of Clinics of the Heart and head of the cardiology department of the Costamed Hospital performs the balloon valvuloplasty utilizing medicated balloons (paclitaxel) that reduces restenosis to under 10%.

To receive more information regarding the procedure contact: info@cardioabroad.com or call toll free (844) 620-9698.

Make an appointment

 Name
 City
 State
 Zip Code

 Phone
 E-mail
 Message

 SEND

Copyright © 2015 Clinics of the Heart. All rights reserved. Privacy Policy

